

29 September 1972

## SUMMARY

ERTS-1 Imagery of Central California: Preliminary  
Geologic EvaluationPaul D. Lowman Jr.  
Goddard Space Flight Center

"Made available under NASA sponsorship  
in the interest of early and wide dis-  
semination of Earth Resources Survey  
Program information and without liability  
for any use made thereof."

Multispectral scanner and return beam vidicon pictures of the Coast Ranges and Sierra Nevada of California have been examined to determine their geologic value. The technique used was conventional drainage analysis by visual study of color composites and single band pictures. Structural overlays were drawn on the color composites, with geologic features shown on the Geologic Map of California sheets (1:250,000 scale) being plotted first. Most major structures, such as the San Andreas fault, were easily identified, although some active faults, in particular the Hayward fault, are evidently concealed by urban construction. In both the Coast Ranges and the Sierra Nevada, numerous linear features were visible on the ERTS pictures that were not shown on the 1:250,000 maps. These features, chiefly drainage anomalies, are thought to be faults, joints, or a combination of the two, since they do not correspond to mapped lithologic contacts or stratification. Only the most general rock identifications could be made by simple inspection of the ERTS pictures, although tone differences between MSS bands were visible in the New Idria serpentine mass.

The potential geologic value of ERTS imagery seems well-demonstrated by the fact that structural features not previously mapped on a scale of 1:250,000 could be found on pictures of a thoroughly studied and easily accessible area.

Original photography may be purchased from:

EROS Data Center  
10th and Dakota Avenue  
Sioux Falls, SD 57198(E72-10048) PRELIMINARY GEOLOGIC  
EVALUATION OF ERTS IMAGERY P.D. Lowman,  
Jr., et al (NASA) 29 Sep. 1972 3 p CSCL

N72-31339

08G

Unclas

G3/13

00048

Details of illustrations in  
this document may be better  
studied on microfiche

Reproduced by  
**NATIONAL TECHNICAL  
INFORMATION SERVICE**  
U S Department of Commerce  
Springfield VA 22151

W123-45

W678-901

W123-451

W678-90

W123-451

100.0-100.0

100.0-100.0

100.0-100.0

100.0-100.0

100.0-100.0


100.0-100.0

100.0-100.0

100.0-100.0

100.0-100.0

100.0-100.0



W123-45

W678-901


00 JUN 77 C S55-55/W155-55 N S55-55/W155

Band 5 (Red)

W678-90

W123-451

S 155-5556-A-1-A-P-LI NASA ERTS E-6556-00023-5 01



GEOLOGIC SKETCH MAP  
CENTRAL COAST RANGES, CALIFORNIA

Legend:

- Calaveras  
Fault      Fault shown on 1:250,000 Geologic Map  
                 of California
- Photo lineament (fault ?) not shown on  
                 Geologic Map of California

- ↕ → Plunging anticline
- \* → Plunging syncline
- ┐ Attitude of strata  
(schematic)

Scale and orientation shown on map; principal point approximately 36°45'N, 121°10'W. Spacecraft altitude 560 stat. miles (900 km). Lithology after Page (1966); contacts not drawn:

- III Cenozoic terrestrial sediments
- II Late Mesozoic marine sediments (Great Valley sequence)
- Igm Granitic-metamorphic core complex with Cretaceous igneous intrusions
- If Franciscan core complex (Mesozoic eugeosynclinal rocks)

Paul D. Lowman Jr.  
Goddard Space Flight Center  
30 July 1972